

Creating a Spec Sheet

This chapter will discuss how to create a blank sheet, clone a sheet and printing. This section will also cover the spec sheet history.


- Grip types - Conventional or Finger Tip
- Creating a blank spec sheet for a bowler
- How to clone the sheet

Grip types - Conventional or Finger Tip


1. Choose the grip type. If the displayed grip type is not what you want, click on the displayed grip type.



2. The selection box will appear. Click on the down arrow and the other choice(s) will appear.



When when you click your selection, the selection box will close automatically.



Specs

update fit 2025
CR: 05/27/2025 UP: 05/27/2025 @ 9:16 AM

+ Add **📄** Clone **🖨** Print

Bowler Hand **Left Hander**

Grip Type **Conventional**

Round **Oval**

📊 Calculate Oval

Hole Type

Starting Bit

Oval Width

Oval Degree

Taper

Oval Cuts

+

Taper

**1/2
BACK**


**1/2
FRONT**

**1/4
BACK**

**1/4
FRONT**

Arsenal

+ Add Ball



Normal **⬆** **B** **I** **U** **A** **⌂**
A **⌂** **⌂** **⌂** **⌂** **⌂** **⌂** **⌂**
I_x



Attachments



Add


Creating a blank spec sheet for a bowler

In order to create a Spec Sheet, first the bowler profile must be created.

1. If this is a brand new client, with no history

- Click on (Add Spec Sheets)

Specs



2. If this is an existing bowler with a spec sheet already on file, and you want to create a new blank one. Click the +Add button.



Calculate Oval

Hole Type

Starting Bit Oval Width Oval Degree Taper

Oval Cuts

+ **Taper** **1/2 BACK** **1/2 FRONT** **1/4 BACK** **1/4 FRONT**

Arsenal

Thumbless and Two-Handed

If the bowler is Two-handed or Thumbless, it will automatically change the spec sheet to one without the thumb specs:

1.

Bowler

FIRST NAME

LAST NAME

EMAIL

PHONE

LEFT HANDED	RIGHT HANDED
TRADITIONAL	TWO-HANDED
BACKUP	HELICOPTER SPINNER
FULL ROLLER	THUMBLESS

Specs

No name CR: 05/27/2025 UP: 05/27/2025 @ 2:42 PM

Add **Clone** **Print**

Bowler Hand **Right Hander** Grip Type **Finger Tip**

Reverse **-0.375** Left **Oval Hole Size** **1/4** Bridge **Oval Hole Size** **+0.500** Right

Forward


Normal **B** **I** **U** **A**

Attachments **Add**

How to clone the sheet

Cloning the sheet is the best option for updating a bowler's measurements while saving the old measurements in the bowler's history.

1. To clone the sheet , click on clone button

A grey dialog box titled 'Spec Sheet Name' with a close button (X) in the top right. Inside, there is a text input field containing the text '<Clone> <Clone>' and a blue button with a white checkmark to its right.

Then you can name the update the name of the sheet


A grey dialog box titled 'Spec Sheet Name' with a close button (X) in the top right. Inside, there is a text input field containing the text 'update fit 2025' and a blue button with a white checkmark to its right.

ex:

Then click the check mark button

A grey dialog box titled 'Spec Sheet Name' with a close button (X) in the top right. Inside, there is a text input field containing the text 'update fit 2025' and a blue button with a white checkmark to its right. A red arrow points from the top right towards the checkmark button.

You profile will now have 2 sheets recorded .



You can clone as many sheets as you wish by just clicking on the clone button.